

E EFAPEL[®]



new

USB
Charger

Fast charging for demanding solutions

Today, technology plays a crucial role in our lives. Increasingly modern and powerful smartwatches, smartphones and laptops have become indispensable elements, requiring efficient charging solutions.

EFAPEL's new USB chargers, **A+C**, **C+C** and **C Power Delivery**, respond to this growing need, providing users with **fast and efficient charging**.



LOGUS90
USB Double Charger Type A + Type C








APOLO5000
USB Double Charger Type C




SIZA
USB Double Charger Type C









QUADRA
USB Charger Type C Power Delivery





designation	ref.	rockers / cover plates	ref.	color
 USB Double Charger Type A + Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A One USB Type A output + one USB Type C output	21381	 Cover Plate for USB Double Charger Type A + Type C	90674 T	
 USB Double Charger Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A Two USB Type C output	21382	 Cover Plate for USB Double Charger Type C	90675 T	BR MF GE PE AL IS PM DU
 USB Charger Type C Power Delivery 100 - 240 V ~ 150 - 60 Hz - 30 W One USB Type C output	21398	 Cover Plate for USB Charger Type C Power Delivery	90676 T	

APOLO5000

designation	ref.	rockers / cover plates	ref.	color
 USB Double Charger Type A + Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A One USB Type A output + one USB Type C output	21381	 Cover Plate for USB Double Charger Type A + Type C	50674 T	
 USB Double Charger Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A Two USB Type C output	21382	 Cover Plate for USB Double Charger Type C	50675 T	BR MF BM PM PR GR PL CH
 USB Charger Type C Power Delivery 100 - 240 V ~ 150 - 60 Hz - 30 W One USB Type C output	21398	 Cover Plate for USB Charger Type C Power Delivery	50676 T	

SIRIUS70

designation	ref.	rockers / cover plates	ref.	color
 USB Double Charger Type A + Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A One USB Type A output + one USB Type C output	21381	 Cover Plate for USB Double Charger Type A + Type C	70674 T	
 USB Double Charger Type C 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A Two USB Type C output	21382	 Cover Plate for USB Double Charger Type C	70675 T	BR MF
 USB Charger Type C Power Delivery 100 - 240 V ~ 150 - 60 Hz - 30 W One USB Type C output	21398	 Cover Plate for USB Charger Type C Power Delivery	70676 T	

designation	ref.	color
 USB Double Charger Type A + Type C - 2 Modules 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A One USB Type A output + one USB Type C output	45381 S	
 USB Double Charger Type C - 2 Modules 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 3 A Two USB Type C output	45382 S	BR BM PM AL
 USB Charger Type C Power Delivery - 2 Modules 100 - 240 V ~ 150 - 60 Hz - 30 W One USB Type C output	45398 S	
 USB Charger Type C - 1 Module 100 - 240 V ~ 150 - 60 Hz - 5 V ≡ 1.5 A One USB Type C output	45387 S	BR BM PM AL MF GE PE IS DU PR GR PL CH

T - Rocker, Cover Plate or Frame; S - Semi-assembled | BR - White; MF - Ivory; GE - Ice; PE - Pearl; AL - Aluminium; IS - Gray; PM - Black Matt; DU - Golden; BM - White Matt; PR - Silver; GR - Graphite; PL - Platinum; CH - Champagne.



Serpins,
3200-355 Serpins
Portugal

Portugal
+351 239 970 130
efapel@efapel.com

Export
+351 239 970 135
export@efapel.com

SAT Technical Support Service
+351 239 970 132
sat@efapel.com

efapel.com



EFAPEL reserves the right to modify this document or the products contained herein without prior notice. Please contact EFAPEL if you have any questions.